








このスケジュールは、製品使用の一般的なガイドラインとして推奨しています。参考の際には、地域の天候、環境、温度、湿度、又は植物の種類などを考慮しご利用ください。



Product	発芽後	成長期	開花前期	開花中期	収穫期
 <b>ROOTBASTIC</b>	0,1 - 0,3 ml/L	---	---	---	---
 <b>COCO A/B</b>	A: 0,5 - 1,5 ml/L B: 0,5 - 1,5 ml/L	A: 1 - 2 ml/L B: 1 - 2 ml/L	A: 2 - 3 ml/L B: 2 - 3 ml/L	A: 2 - 3 ml/L B: 2 - 3 ml/L	A: 2 - 3 ml/L B: 2 - 3 ml/L
 <b>ROOT STIMULATOR</b>	0,5 - 1 ml/L	---	---	---	---
 <b>COCO BOOSTER UNI</b>	---	0,1 - 0,5 ml/L	0,1 - 0,5 ml/L	---	---
 <b>COCO BLOOM STIMULATOR</b>	---	---	0,5 - 1 ml/L	0,5 - 1 ml/L	0,5 - 1 ml/L
 <b>BLOOMBASTIC</b>	---	---	0,5 - 1 ml/L	0,5 - 1 ml/L	0,5 - 1 ml/L
 <b>ZYM</b>	---	1 - 3 ml/L	1 - 3 ml/L	1 - 3 ml/L	1 - 3 ml/L